

### Oriental Fruit fly, *Bactrocera dorsalis*, Host List

The berries, fruit, nuts and vegetables of the listed plant species are now considered host articles for *B. dorsalis*. Unless proven otherwise, all cultivars, varieties, and hybrids of the plant species listed herein are considered suitable hosts of *B. dorsalis*.

<u>Scientific Name</u>	<u>Common Name</u>
<i>Acca sellowiana</i> (O. Berg) Burret	Guavasteen, pineapple-guava
<i>Adenanthera pavonina</i> L.	Red sandalwood
<i>Adenia cissampeloides</i> (Planch. ex Hook.) Harms	N/A
<i>Adonidia merrillii</i> (Becc.) Becc.	Manila palm
<i>Aegle marmelos</i> (L.) Corrêa	Baeltree
<i>Afzelia xylocarpa</i> (Kurz) Craib	Doussie
<i>Alangium chinense</i> (Lour.) Harms	Begonialeaf alangium
<i>Alangium salviifolium</i> (L. f.) Wangerin	Sage-leaf alangium
<i>Alpinia mutica</i> Roxb.	Small shell ginger
<i>Anacardium occidentale</i> L.	Cashew nut
<i>Ananas comosus</i> (L.) Merr.	Pineapple <sup>1</sup>
<i>Annona ×atemoya</i> Mabb.	Atemoya
<i>Annona cherimola</i> Mill.	Cherimoya
<i>Annona glabra</i> L.	Pond-apple
<i>Annona macrophyllata</i> Donn. Sm.	Llama
<i>Annona montana</i> Macfad.	Mountain soursop
<i>Annona mucosa</i> Jacq.	Wild sweetsop
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	Custard apple
<i>Annona senegalensis</i> Pers.	Wild custard-apple
<i>Annona squamosa</i> L.	Custard apple, sugar apple
<i>Antidesma ghaesembilla</i> Gaertn.	Black currant tree
<i>Aporosa villosa</i> (Lindl.) Baill.	Ye-mein
<i>Ardisia crenata</i> Sims	Hen's eye, coralberry
<i>Areca catechu</i> L.	Areca palm, betel nut
<i>Arenga engleri</i> Becc.	Formosan sugar palm
<i>Arenga pinnata</i> (Wurmb) Merr.	Sugar palm
<i>Arenga westerhoutii</i> Griff.	N/A
<i>Artabotrys monteiroae</i> Oliv.	N/A
<i>Artabotrys siamensis</i> Miq.	N/A

<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Artocarpus dadah</i> Miq.	N/A
<i>Artocarpus elasticus</i> Reinw. ex Blume	Terap
<i>Artocarpus heterophyllus</i> Lam.	Jack fruit
<i>Artocarpus integer</i> (Thunb.) Merr.	Chempedak
<i>Artocarpus lacucha</i> Buch.-Ham.	Monkeyfruit
<i>Artocarpus lanceifolius</i> Roxb.	Keledang
<i>Artocarpus lanceolatus</i> Trécul	N/A
<i>Artocarpus odoratissimus</i> Blanco	Marang
<i>Artocarpus rigidus</i> Blume	Monkey-jack
<i>Artocarpus sericicarpus</i> F. M. Jarrett	N/A
<i>Averrhoa bilimbi</i> L.	Bilimbi
<i>Averrhoa carambola</i> L.	Carambola, starfruit
<i>Azadirachta excelsa</i> (Jack) M. Jacobs	N/A
<i>Baccaurea angulata</i> Merr.	Red angled tampoi
<i>Baccaurea motleyana</i> (Müll. Arg.) Müll. Arg.	Rambai
<i>Baccaurea racemosa</i> (Reinw.) Müll. Arg.	Menteng
<i>Baccaurea ramiflora</i> Lour.	Burmese grape
<i>Bactris gasipaes</i> Kunth	Peach palm
<i>Balakata baccata</i> (Roxb.) Esser	Jiang guo wu jiu
<i>Barringtonia edulis</i> Seem.	Cutnut
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash gourd, ash pumpkin
<i>Bischofia javanica</i> Blume	Java-cedar, needlebark
<i>Blighia sapida</i> K. D. Koenig	Akee
<i>Borassus flabellifer</i> L.	Toddy palm
<i>Bouea macrophylla</i> Griff.	Gandaria
<i>Bouea oppositifolia</i> (Roxb.) Meisn.	Plum mango
<i>Breynia reclinata</i> (Roxb.) Hook. f.	N/A
<i>Bridelia stipularis</i> (L.) Blume	Lulalub
<i>Callicarpa longifolia</i> Lam.	Chukin
<i>Calophyllum inophyllum</i> L.	Alexandrian laurel, kamani

<i>Cananga odorata</i> (Lam.) hook. f. & Thomson	Ylang-ylang
<i>Canarium album</i> (Lour.) Raeusch	Chinese olive
<i>Capparis sepiaria</i> L.	Hedge caper bush
<i>Capparis tomentosa</i> Lam.	African caper
<i>Capsicum annuum</i> L.	Chili Bell pepper, chili, nioii lei, red pepper, sweet pepper
<i>Capsicum chinense</i> Jacq.	Bonnet pepper
<i>Capsicum frutescens</i> L.	Tabasco pepper
<i>Capsicum pubescens</i> Ruiz & Pav.	Apple chile
<i>Careya arborea</i> Roxb.	N/A
<i>Careya sphaerica</i> Roxb.	Kra doon
<i>Carica papaya</i> L.	Papaya
<i>Carissa carandas</i> L.	Carandas-plum
<i>Carissa spinarum</i> L.	Currentbush
<i>Caryota mitis</i> Lour.	Burmese fishtail palm
<i>Casimiroa edulis</i> La Llave & Lex.	White sapote
<i>Celtis tetrandra</i> Roxb.	Si rui po
<i>Chionanthus parkinsonii</i> (Hutch.) Bennet & Raizada	N/A
<i>Choerospondias axillaris</i> (Roxb.) B. L. Burt & A. W. Hill	N/A
<i>Chrysobalanus icaco</i> L.	Coco plum
<i>Chrysophyllum albidum</i> G. Don	White star apple
<i>Chrysophyllum cainito</i> L.	Caimito, star apple
<i>Chrysophyllum roxburghii</i> G. Don	Athapala
<i>Chukrasia tabularis</i> A. Juss.	Burmese almondwood
<i>Cinnamomum yabunikkei</i> H. Ohba	Yabu-nikkei
<i>Cissus repens</i> Lam.	N/A
× <i>Citrofortunella floridana</i> J. W. Ingram & H. E. Moore	Limequat
× <i>Citrofortunella microcarpa</i> (Bunge) Wijnands	Calamandarin, calamondin
<i>Citrullus colocynthis</i> (L.) Schrad.	Bitter apple, wild gourd
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Citrus aurantiifolia</i> (Christm. Swingle)	Sour lime, lime

<i>Citrus aurantium</i> L.	Sour orange
<i>Citrus clementina</i> Hort. ex Tanaka	Clementine
<i>Citrus deliciosa</i> Ten.	Italian tangerine, willow-leaf mandarin
<i>Citrus depressa</i> Hayata	N/A
<i>Citrus hystrix</i> DC.	Kaffir lime
<i>Citrus jambhiri</i> Lush.	Rough lemon
<i>Citrus keraji</i> Hort. ex Tanaka	Kabuchi, keraji
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limetta</i> Risso	Sweet lime
<i>Citrus limettioides</i> Tanaka	Indian sweet lime
<i>Citrus limon</i> (L.) Burm. f.	Lemon
<i>Citrus limonia</i> Osbeck	Rangpur lime
<i>Citrus maxima</i> (Burm.) Merrill	Pummelo, shaddock
<i>Citrus natsudaidai</i> Hayata	Japanese summer grapefruit, natsu-daidai
<i>Citrus nobilis</i> Lour.	King orange
<i>Citrus oto</i> Hort. ex Yu. Tanaka	N/A
<i>Citrus paradisi</i> Macfady	Grapefruit
<i>Citrus reticulata</i> Blanco	Mandarin orange, tangerine
<i>Citrus sinensis</i> (L.) Osbeck	Common, Kona, or sweet orange
<i>Citrus</i> × <i>tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow.	Satsuma orange, unshū-mikan
<i>Clausena lansium</i> (Lour.) Skeels	Wampi
<i>Clusia rosea</i> Jacq.	Copey
<i>Coccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Coccoloba uvifera</i> (L.) L.	Sea grape
<i>Coffea arabica</i> L.	Arabian coffee, coffee
<i>Coffea canephora</i> Pierre ex A. Froehner	Robusta coffee
<i>Cordia dentata</i> Poir.	English clammy berry
<i>Cordyla pinnata</i> (A. Rich.) Milne-Redh.	N/A
<i>Crescentia cujete</i> L.	Calabash
<i>Crinum asiaticum</i> L.	Asiatic poisonbulb, spider lily
<i>Cucumis ficifolius</i> A. Rich.	Cucumis
<i>Cucumis melo</i> L.	Cantaloupe, melon
<i>Cucumis sativus</i> L.	Cucumber

<i>Cucurbita argyrosperma</i> C. Huber	Cushaw
<i>Cucurbita maxima</i> Duchesne	Squash
<i>Cucurbita moschata</i> Duchesne	Butternut pumpkin, butternut squash
<i>Cucurbita pepo</i> L.	Pumpkin, zucchini squash
<i>Desmos chinensis</i> Lour.	Jia ying zhua
<i>Dillenia obovata</i> (Blume) Hoogland	Simpoh padang
<i>Dimocarpus longan</i> Lour.	Longan
<i>Diospyros abyssinica</i> (Hiern) F. White	Native persimmon
<i>Diospyros areolata</i> King & Gamble	N/A
<i>Diospyros blancoi</i> A. DC.	Mabolo, velvet apple
<i>Diospyros castanea</i> (Craib). H. R. Fletcher	N/A
<i>Diospyros dasyphylla</i> Kurz	N/A
<i>Diospyros diepenhorstii</i> Miq.	Kaya malam
<i>Diospyros digyna</i> Jacq.	Black persimmon, black sapote
<i>Diospyros glandulosa</i> Lace	Mai kua thoun
<i>Diospyros japonica</i> Siebold & Zucc.	Ryūkyū-mamegaki
<i>Diospyros kaki</i> Thunb.	Japanese persimmon, kaki, Oriental persimmon
<i>Diospyros malabarica</i> (Desr.) Kostel.	Indian persimmon
<i>Diospyros maritima</i> Blume	Sea ebony
<i>Diospyros mespiliformis</i> Hochst. Ex A. DC.	Jackalberry, African ebony
<i>Diospyros mollis</i> Griff.	Ma kluea
<i>Diospyros montana</i> Roxb.	Mountain persimmon
<i>Diospyros sandwicensis</i> (A. DC.) Fosberg	Elama, lama
<i>Diospyros virginiana</i> L.	American persimmon
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Striped-cucumber
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry, kitembilla
<i>Dracaena steudneri</i> Schweinf. ex Engl.	Northern large leaf dragon tree

<i>Drypetes floribunda</i> (Mull. Arg.) Hutch.	N/A
<i>Ehretia microphylla</i> Lam.	Philippine tea
<i>Elaeocarpus hygrophilus</i> Kurz	Ma-kok-nam
<i>Elaeocarpus serratus</i> L.	Ceylon olive
<i>Eriobotrya japonica</i> (Thunb) Lindl.	Loquat
<i>Erycibe subspicata</i> Wall. ex G. Don	Zhui xu ding gong teng
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry, Brazilian plum
<i>Eugenia megacarpa</i> Craib	N/A
<i>Eugenia palumbis</i> Merr.	N/A
<i>Eugenia uniflora</i> L.	Surinam cherry
<i>Excoecaria agallocha</i> L.	Blind-your-eye mangrove
<i>Fagraea berteriana</i> A. Gray ex Benth.	Pua kenikeni
<i>Fagraea ceilanica</i> Thunb.	Hui li
<i>Fibraurea tinctoria</i> Lour.	Sekunyit
<i>Ficus auriculata</i> Lour.	Roxburgh fig
<i>Ficus benjamina</i> L.	Benjamin fig
<i>Ficus carica</i> L.	Common fig, fig
<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King	Zhi ye rong
<i>Ficus erecta</i> Thunb.	Ai xiao tian xian guo
<i>Ficus fistulosa</i> Reinw. ex Blume	Yellow stem fig
<i>Ficus hirta</i> Vahl	Cu ye rong
<i>Ficus hispida</i> L. f.	Hairy fig
<i>Ficus lepicarpa</i> Blume	N/A
<i>Ficus microcarpa</i> L. f.	Chinese banyan
<i>Ficus obpyramidata</i>	N/A
<i>Ficus ottoniifolia</i> Miq.	N/A
<i>Ficus pumila</i> L.	Bi li, creeping mission fig
<i>Ficus racemosa</i> L.	Cluster fig
<i>Ficus religiosa</i> L.	Sacred fig
<i>Ficus septica</i> Burm. f.	Septic fig
<i>Ficus sycomorus</i> L.	Sycamore fig, mulberry fig, wild fig
<i>Ficus virgata</i> Reinw. ex Blume	Dao rong
<i>Flacourtia indica</i> (Burman f.) Merrill	Governor's plum, ramontehi, rukam
<i>Flacourtia rukam</i> Zoll. & Moritzi	Prunier café

<i>Flueggea virosa</i> (Roxb. ex Willd) Royle	Common bushweed
<i>Fortunella japonica</i> (Thunb.) Swingle	Calamondin orange, Chinese orange, kumquat
<i>Fortunella margarita</i> (Lour.) Swingle	Nagami kumquat
<i>Fortunella polyandra</i> (Ridl.) Tanaka	Malayan kumquat
<i>Garcinia atroviridis</i> Griff. ex T. Anderson	Gelugor
<i>Garcinia speciosa</i> Wall.	Ma pong
<i>Garcinia costata</i> Hemsl. ex King	N/A
<i>Garcinia cowa</i> Roxb. ex DC.	Cowa
<i>Garcinia dulcis</i> (Roxb.) Kurz	Eggtree
<i>Garcinia griffithii</i> T. Anderson	N/A
<i>Garcinia hombroniana</i> Pierre	N/A
<i>Garcinia intermedia</i> (Pittier) Hammel	N/A
<i>Garcinia mangostana</i> L.	Mangosteen
<i>Garcinia mannii</i> Oliv.	Kar
<i>Garcinia parvifolia</i> Miq.	Kandis
<i>Garcinia prainiana</i> King	Button mangosteen
<i>Garcinia subelliptica</i> Merr.	N/A
<i>Garcinia venulosa</i> (Blanco) Choisy	N/A
<i>Garcinia xanthochymus</i> Hook. f.	Gourka, gamboge tree
<i>Garuga floribunda</i> Decne.	Garuga, nemismis
<i>Glochidion littorale</i> Blume	Saka saka
<i>Glycosmis pentaphylla</i> (Retz.) DC.	Shan xiao ju
<i>Gmelina elliptica</i> Sm.	Badhara bush
<i>Gmelina philippensis</i> Cham.	N/A
<i>Gymnopetalum scabrum</i> (Lour.) W. J. de Wilde & Duyfjes	Feng gua
<i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer	Common Indian mulberry
<i>Haematostaphis barteri</i> Hook. f.	N/A
<i>Hanguana malayana</i> (Jack) Merr.	N/A
<i>Hexalobus monopetalus</i> (A. Rich.) Engl. & Diels	N/A

<i>Heynea trijuga</i> Roxb. ex Sims	N/A
<i>Holigarna kurzii</i> King	N/A
<i>Horsfieldia subglobosa</i> Warb.	Penarahan
<i>Hylocereus undatus</i> (Haw.) Britton & Rose	Dragon fruit
<i>Icacina oliviformis</i> (Poir.) J. Raynal	False yam
<i>Inocarpus fagiferus</i> (Parkinson) Fosberg	Marrup, Tahitian chestnut
<i>Irvingia gabonensis</i> (Aubry-Lecomte ex O'Rorke) Baill.	Dikanut
<i>Irvingia malayana</i> Oliv. ex A. W. Benn.	Kabok
<i>Ixora javanica</i> (Blume) DC.	N/A
<i>Ixora macrothyrsa</i> (Teijsm. & Binn.) R. Br.	Santan-pula
<i>Juglans hindsii</i> (Jeps.) R. E. Sm.	California walnut, Hinds's walnut
<i>Juglans nigra</i> L.	Black walnut
<i>Juglans regia</i> L.	English walnut
<i>Kedrostis leloja</i> (Forssk.) C. Jeffrey	N/A
<i>Knema globularia</i> (Lam.) Warb.	Xiao ye hong guang shu
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lansium domesticum</i> Corrêa	Langsat, lanzones
<i>Lansium parasiticum</i> (Osbeck) K. C. Sahni & Bennet	N/A
<i>Lepisanthes alata</i> (Blume) Leenh.	Sinpaju
<i>Lepisanthes fruticosa</i> (Roxb.) Leenh.	N/A
<i>Lepisanthes rubiginosa</i> (Roxb.) Leenh.	Kelatiayu
<i>Lepisanthes tetraphylla</i> (Vahl) Radlk.	N/A
<i>Litchi chinensis</i> Sonn.	Litchi, lychee
<i>Litsea glutinosa</i> (Lour.) C. B. Rob.	Bolly-beech
<i>Litsea salicifolia</i> (J. Roxb. ex Nees) Hook. f.	Hei mu jiang zi
<i>Luffa acutangula</i> (L.) Roxb.	Ribbed loofah



<i>Luffa aegyptiaca</i> Mill.	Loofah
<i>Lycianthes biflora</i> (Lour.) Bitter	Hong si xian
<i>Machilus thunbergii</i> Siebold & Zucc.	Tabu
<i>Maclura cochinchinensis</i> (Lour.) Corner	Cockspurthorn
<i>Maerua duchesnei</i> (De Wild.) F. White	N/A
<i>Malpighia emarginata</i> DC.	Barbados cherry, acerola
<i>Malpighia glabra</i> L.	Acerola, Acerola cherry, Barbados cherry, west Indian cherry
<i>Malus pumila</i> Mill.	Apple, domestic apple
<i>Malus sylvestris</i> (L.) Mill.	Apple, crab apple
<i>Mammea siamensis</i> T. Anderson	N/A
<i>Mangifera caesia</i> Jack	Wani
<i>Mangifera caloneura</i> Kurz	Mamuangpa
<i>Mangifera foetida</i> Lour.	Bachang mango
<i>Mangifera griffithii</i> Hook. f.	Rawa
<i>Mangifera indica</i> L.	Mango
<i>Mangifera laurina</i> Blume	Boa pow, mangga
<i>Mangifera longipetiolata</i> King	Asam damaran, asam kumbang
<i>Mangifera odorata</i> Griff.	Kuine, Saipan mango
<i>Mangifera pajang</i> Kosterm.	Bambangan
<i>Manilkara jaimiqui</i> (C. Wright) Dubard	Wild sapodilla
<i>Manilkara zapota</i> (L.) P. Royen	Sapote, chicle, chiku, sapodilla
<i>Merremia vitifolia</i> (Burm. f.) Hallier f.	Zhang ye yu huang cao
<i>Microcos tomentosa</i> Sm.	N/A
<i>Mimusops elengi</i> L.	Elengi, pogada, Spanish cherry
<i>Mitrephora maingayi</i> Hook. f. & Thomson	Thabut-net
<i>Momordica balsamina</i> L.	Balsam apple, bitter melon
<i>Momordica charantia</i> L.	Balsam pear, bitter melon
<i>Momordica cochinchinensis</i> (Lour.) Spreng.	Balsam apple
<i>Morella rubra</i> Lour.	Chinese-arbutus

<i>Morinda citrifolia</i> L.	Noni, Indian mulberry
<i>Morinda coreia</i> Buch.-Ham.	N/A
<i>Morus alba</i> L.	White mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Muntingia calabura</i> L.	Jamaica cherry
<i>Murraya exotica</i> L.	Chinese-boxwood
<i>Murraya paniculata</i> (L.) Jack	Mock orange, orange jasmine
<i>Musa acuminata</i> Colla	Chinese banana, dwarf banana <sup>2</sup>
<i>Musa balbisiana</i> Colla	Plantain
<i>Musa basjoo</i> Siebold & Zucc. ex Linuma	Japanese banana
<i>Musa ×paradisiaca</i> L.	Banana, common banana <sup>2</sup>
<i>Musa troglodytarum</i> L.	Fe'i banana
<i>Myxopyrum smilacifolium</i> Blume	N/A
<i>Nauclea orientalis</i> (L.) L.	Canary wood
<i>Neolamarckia cadamba</i> (Roxb.) Bosser	Burflower tree
<i>Neolitsea sericea</i> (Blume) Koidz.	Shirodamo
<i>Nephelium cuspidatum</i> Blume	Panungaiian
<i>Nephelium lappaceum</i> L.	Rambutan
<i>Nestegis sandwicensis</i> (A. Gray) O. Deg., I. Deg. & L. A. S. Johnson	Olopua
<i>Ochreinauclea maingayi</i> (Hook. f.) Ridsdale	N/A
<i>Ochrosia mariannensis</i> A. DC.	N/A
<i>Olax scandens</i> Roxb.	Dheniani
<i>Opilia amentacea</i> Roxb.	N/A
<i>Opuntia ficus-indica</i> (L.) Mill.	Cactus, prickly pear
<i>Palaquium maingayi</i> (C. B. Clarke) King & Gamble	Nyatoh
<i>Pandanus fragrans</i> Gaudich	Screw pine
<i>Pandanus odorifer</i> (Forssk.) Kuntze	Hala, pandanus, screw pine
<i>Parinari anamensis</i> Hance	N/A
<i>Parkia biglobosa</i> (Jacq.) R. Br. ex G. Don	African locust-bean

<i>Parkia speciosa</i> Hassk.	Petai
<i>Passiflora caerulea</i> L.	N/A
<i>Passiflora edulis</i> Sims	Lilikoi, passion fruit, purple granadilla, yellow lilikoi
<i>Passiflora foetida</i> L.	Love-in-a-mist, pohapoha, stinking passion fruit
<i>Passiflora incarnata</i> L.	Maypop, wild passion fruit
<i>Passiflora laurifolia</i> L.	Bell apple, water lemon, yellow granadilla
<i>Passiflora ligularis</i> Juss.	Sweet granadilla
<i>Passiflora quadrangularis</i> L.	Giant granadilla
<i>Passiflora suberosa</i> L.	N/A
<i>Passiflora tripartita</i> (Juss.) Poir.	Banana passion fruit, soft leaf passionflower
<i>Pereskia grandiflora</i> Pfeiff.	N/A
<i>Persea americana</i> Miller	Alligator pear, avocado
<i>Phoenix dactylifera</i> L.	Date palm
<i>Phyllanthus acidus</i> (L.) Skeels	Gooseberry tree
<i>Physalis minima</i> L.	Green gooseberry
<i>Physalis peruviana</i> L.	Ground cherry, poha
<i>Pimenta dioica</i> (L.) Merrill	Allspice
<i>Planchonella duclitan</i> (Blanco) Bakh. f.	N/A
<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Cemetery tree, custard apple, India greenstar
<i>Polyalthia simiarum</i> (Buch.-Ham. ex Hook. f. & Thomson) Benth. ex Hook. f. & Thomson	N/A
<i>Pometia pinnata</i> J. R. Forst. & G. Forst.	Fijian longan
<i>Poncirus trifoliata</i> (L.) Raf.	Japanese bitter orange
<i>Pouteria alnifolia</i> (Baker) Roberty	N/A
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Abiu
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel, egg fruit, egg fruit tree

<i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn	Mamey sapote, marmalade fruit
<i>Pouteria viridis</i> (Pittier) Cronquist	Green sapote
<i>Premna serratifolia</i> L.	Coastal premna
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	Sweet cherry
<i>Prunus campanulata</i> Maxim.	Taiwan cherry
<i>Prunus cerasifera</i> Ehrh.	Cherry plum, methley plum
<i>Prunus cerasoides</i> D. Don	Sour cherry, wild Himalayan cherry
<i>Prunus cerasus</i> L.	Sour cherry, maraschino cherry
<i>Prunus domestica</i> L.	Common plum, European plum
<i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr.	Catalina cherry, hollyleaf cherry
<i>Prunus mume</i> Siebold & Zucc.	Japanese apricot
<i>Prunus persica</i> (L.) Batsch.	Peach. Nectarine
<i>Prunus salicina</i> Lindl.	Japanese plum
<i>Prunus salicina</i> Lindl. x <i>Prunus cerasifera</i> Ehrh.	Methley plum
<i>Psidium cattleianum</i> Sabine	Purple, red and yellow strawberry guava, strawberry guava
<i>Psidium guajava</i> L.	Common guava, guava
<i>Punica granatum</i> L.	Pomegranate <sup>3</sup>
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pashia</i> Buch.-Ham. ex D. Don	N/A
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sand pear
<i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.	Downy rose myrtle, myrtle
<i>Saba comorensis</i> (Bojer ex A. DC.) Pichon	N/A
<i>Saba senegalensis</i> (A. DC.) Pichon	Liane saba, mad, made
<i>Salacia verrucosa</i> Wight	N/A
<i>Sambucus javanica</i> Reinw. ex Blume	Chinese elder
<i>Sandoricum koetjape</i> (Burm. f.) Merrill	Santol
<i>Santalum paniculatum</i> Hook. & Arn.	Native Hawaiian sandalwood, sandalwood
<i>Sarcocephalus latifolius</i> (Sm.) Bruce	Country fig

<i>Sauropus androgynus</i> (L.) Merr.	Star gooseberry, katuk
<i>Schoepfia fragrans</i> Wall.	N/A
<i>Sclerocarya birrea</i> (A. Rich.) Hochst.	Maroola plum
<i>Shirakiopsis indica</i> (Willd.) Esser	N/A
<i>Simarouba glauca</i> DC.	Paradise tree
<i>Siphonodon celastrineus</i> Griff.	N/A
<i>Solanum aculeatissimum</i> Jacq.	Dutch eggplant
<i>Solanum aethiopicum</i> L.	Kumba
<i>Solanum americanum</i> Mill.	N/A
<i>Solanum anguivi</i> Lam.	African eggplant
<i>Solanum betaceum</i> Cav.	Tree tomato
<i>Solanum capsicoides</i> All.	N/A
<i>Solanum donianum</i> Walp.	Mullein, nightshade
<i>Solanum erianthum</i> D. Don	Big eggplant
<i>Solanum granulosoleprosum</i> Dunal	N/A
<i>Solanum incanum</i> L.	Bitter apple
<i>Solanum lasiocarpum</i> Dunal	Indian nightshade
<i>Solanum linnaeanum</i> Hepper & P.-M. L. Jaeger	Apple-of-sodom
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum macrocarpon</i> L.	Gboma eggplant
<i>Solanum mammosum</i> L.	Macawbush
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum muricatum</i> Aiton	Melon pear, pepino
<i>Solanum nigrescens</i> M. Martens & Galeotti	Divine nightshade
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Currant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem cherry
<i>Solanum quitoense</i> Lam.	Quito orange
<i>Solanum seforthianum</i> Andrews	Black nightshade
<i>Solanum sessiliflorum</i> Dunal	Cocona, peach tomato
<i>Solanum stramonifolium</i> Jacq.	N/A
<i>Solanum torvum</i> Sw.	Devil's fig, turkeyberry
<i>Solanum trilobatum</i> L.	N/A
<i>Sorindeia madagascariensis</i> DC.	Sondriry

<i>Spondias dulcis</i> Sol. ex Parkinson	Otaheite apple, Jew plum, wi apple
<i>Spondias mombin</i> L.	Jamaica plum, yellow mombin
<i>Spondias pinnata</i> L.	Common hog plum
<i>Spondias purpurea</i> L.	Purple mombin, red mombin, Spanish plum
<i>Streblus asper</i> Lour.	N/A
<i>Strychnos mellodora</i> S. Moore	N/A
<i>Strychnos nux-vomica</i> L.	N/A
<i>Syzygium aqueum</i> (Burm. f.) Alston	Water apple, watery rose apple
<i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry	Clove
<i>Syzygium borneense</i> (Miq.) Miq.	N/A
<i>Syzygium cumini</i> (L.) Skeels	Malay apple, Java plum
<i>Syzygium formosanum</i> (Hayata) Mori.	Tai wan pu tao
<i>Syzygium grande</i> (Wight) Walp.	N/A
<i>Syzygium jambos</i> (L.) Alston	Rose apple
<i>Syzygium lineatum</i> (DC.) Merr. & L. M. Perry	N/A
<i>Syzygium malaccense</i> (L.) Merrill & L. M. Perry	Mountain apple, Malay apple
<i>Syzygium nervosum</i> DC.	Daly River, satin-ash
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple, water guava
<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Belleric, beach almond
<i>Terminalia catappa</i> L.	False kamani, tropical almond
<i>Terminalia chebula</i> Retz.	Black myrobalan, chebula
<i>Terminalia citrina</i> (Gaertn.) Roxb. ex Fleming	Black chuglam
<i>Theobroma cacao</i> L.	Cocoa
<i>Thevetia peruviana</i> (pers.) K. Schum.	Yellow oleander
<i>Toddalia asiatica</i> (L.) Lam.	N/A
<i>Trichosanthes costata</i> Blume	N/A
<i>Trichosanthes pilosa</i> Lour.	Snake gourd
<i>Triphasia trifolia</i> (Burm. f.) P. Wilson	Limeberry
<i>Turpinia ternata</i> Nakai	San ye shan xiang yuan

<i>Uvaria grandiflora</i> Roxb. ex Hornem.	N/A
<i>Uvaria littoralis</i> (Blume) Blume	N/A
<i>Vaccinium reticulatum</i> Sm.	Ohelo
<i>Viburnum japonicum</i> (Thunb.) Spreng.	Hakusan-boku
<i>Vitellaria paradoxa</i> C. F. Gaertn.	Shea-butter tree
<i>Vitis</i> spp.	Grapes
<i>Wikstroemia phillyreifolia</i> A. Gray	Akia, false ohelo
<i>Wikstroemia uva-ursi</i> A. Gray	Akia, false ohelo
<i>Willughbeia cochinchinensis</i> (Pierre) K. Schum.	N/A
<i>Willughbeia coriacea</i> Wall.	Borneo rubber
<i>Xanthophyllum flavescens</i> Roxb.	N/A
<i>Ximenia americana</i> L.	Yellow plum
<i>Zehneria mucronata</i> (Blume) Miq.	N/A
<i>Zehneria wallichii</i> (C. B. Clarke) C. Jeffrey	N/A
<i>Ziziphus jujuba</i> Mill.	Jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese date, Jujube
<i>Ziziphus mucronata</i> Willd.	N/A
<i>Ziziphus nummularia</i> (Burm. f.) Wight & Arn.	N/A
<i>Ziziphus oenoplia</i> (L.) Mill.	N/A

<sup>1</sup> Smooth Cayenne pineapples and hybrids with 50% or more smooth Cayenne parentage are not regulated

<sup>2</sup> Movement of green bananas of cultivars “Williams”, “Valery”, “Grand Nain” and standard and dwarf “Brazilian” without prematurely ripe fingers, fused fingers or exposed flesh may be allowed through the system approach listed in 7 CFR § 318.13-22

<sup>3</sup> Movement of pomegranate arils is unrestricted